

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Version number 2 Revision: 03.11.2007 Printing date 20.10.2014 SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier • Trade name: SABLE N[•]2 S2-4 · Article number / formula: S2-4 · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. • Application of the substance / the preparation : Preparation for glass application · 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: SARL d'exploitation des ateliers Debitus 24 rue de la Bourde 37000 Tours Tél: 02.47.37.99.80 Fax: 02.47.39.67.34 http://www.debitus.com e-mail: vitrail@debitus.com · 1.4 Emergency telephone number: NHS Direct: 0845 46 47 / Fax: 0845 606 46 47 **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 : GHS08 H351 Suspected of causing cancer. Carc. 2 Repr. 1A H360 May damage fertility or the unborn child. STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure. GHS07 Acute Tox. 4 H302 Harmful if swallowed. Acute Tox. 4 H332 Harmful if inhaled. · Classification according to Directive 67/548/EEC or Directive 1999/45/EC : T; Toxic 100 R61:

🗶 Xn; Harmful

R62-20/22-40-48: Possible risk of impaired fertility. Harmful by inhalation and if swallowed. Limited evidence of a carcinogenic effect. Danger of serious damage to health by prolonged exposure.

R33: Danger of cumulative effects.

· Information concerning particular hazards for human and environment:

May cause harm to the unborn child.

The product has to be labelled in the latest valid version according to the calculation procedure of the "General Classification guideline for preparations of the EU".

(Contd. on page 2)



Page 2/8

Safety data sheet ccording to 1907/2006/EC, Article 31

Printing date 20.10.2	2014	Version number 2	Revision: 03.11.2002
Frade name: SABL S2-4	E N•2		
			(Contd. of page 1
• Classification sy The classificatio data.		atest editions of the EU-lists, and	extended by company and literature
· 2.2 Label eleme	nts ding to Regulation (E(7) No 1272/2008	
	lassified and labelled a	ccording to the CLP regulation.	
	100		
GHS07 GHS	508		
· Signal word Da	nger		
• Hazard-determi	ning components of la	belling:	
Métasilicate de j		0	
• Hazard stateme	nts		
Н302+Н332 На	ermful if swallowed or i	f inhaled.	
H351 Su	spected of causing can	cer.	
Н360 Ма	iy damage fertility or th	ie unborn child.	
Н373 Ма	iy cause damage to org	ans through prolonged or repeated	d exposure.
• Precautionary s	tatements		
P102	Keep out of reach a		
P260	Do not breathe dus	t/fume/gas/mist/vapours/spray.	
P280		wes/protective clothing/eye protect	tion/face protection.
P264		ghly after handling.	
P271		or in a well-ventilated area.	
P301+P310		Immediately call a doctor.	
P304+P340		ove person to fresh air and keep co	omfortable for breathing.
P312		NTER/doctor if you feel unwell.	
		rinse mouth. Do NOT induce vomi	ting.
P405	Store locked up.		
P501	Dispose of content regulations.	s/container in accordance with lo	ocal/regional/national/internationa
· Additional infor	ē		
Warning! Conta			
Restricted to pro			
· 2.3 Other hazar			
	and vPvB assessment		
• PBT: Not applie			
• vPvB: Not appli			

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• Description: Mixture: consisting of the following components.

(Contd. on page 3) GB



Page 3/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.10.2014

Version number 2

Revision: 03.11.2007

Trade name: SABLE N°2 S2-4

	(Cont	d. of page 2)
· Dangerous components:		
CAS: 1317-36-8 EINECS: 215-267-0 Index number: 082-001-00-6 RTECS: OG 1750000	<i>lead monoxide</i> T Repr. Cat. 1, 2 R61; X N R62-20/22; N R50/53 R33 N Repr. 1A, H360Df; STOT RE 2, H373; N Aquatic Acute 1, H400; Aquatic Chronic 1, H410; N Acute Tox. 4, H302; Acute Tox. 4, H332	10-25%
CAS: 1344-28-1 EINECS: 215-691-6 RTECS: BD 1200000	aluminium oxide	10-25%
• Additional information: For	the wording of the listed risk phrases, refer to section 16.	· · · · · · · · · · · · · · · · · · ·

SECTION 4: First aid measures

• 4.1 Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After excessive inhalation: Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient in a stable laying down side position for transportation.

- After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed :
- No further relevant information available.
- \cdot 4.3 Indication of any immediate medical attention and special treatment needed :

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture : Formation of toxic gases is possible during heating or in case of fire. do not inhale steam of combustion
- 5.3 Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures : Not required.
- 6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

(Contd. on page 4)

GB



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.10.2014

Version number 2

Revision: 03.11.2007

Trade name: SABLE N•2 S2-4

(Contd. of page 3)

Page 4/8

• **6.4 Reference to other sections :** See Section 7 for information on safe handling. See Section 13 for disposal information.

SECTION 7: Handling and storage

• **7.1 Precautions for safe handling :** Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of dust.

• Information about fire - and explosion protection: Keep respiratory protective device available.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Keep container tightly sealed.

• 7.3 Specific end use(s) : No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see section 7.

· 8.1 Control parameters

• Ingredients with limit values that require monitoring at the workplace: The product does not contain any signifiant quantities of materials with critical values that have to be monitored at the workplace.

· Additional information:

As a basis for the production of this document, the most current valid lists were used.

- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from food, beverages and petfood.

Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Store protective clothing separately.

· Respiratory protection:



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

• Protection of hands:



Protective gloves

· Gloves material :

The selection of suitable gloves does not only depend on the material, but also on further marks of quality which may vary from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked before (Contd. on page 5)



Page 5/8

Safety data sheet according to 1907/2006/EC, Article 31

rinting date 20.10.2014	Version number 2	Revision: 03.11.20
rade name: SABLE N°2 S2-4		
use.		(Contd. of page
· Eye protection:		
Tightly sealed gog	gles	
SECTION 9: Physical a		
• 9.1 Information on basic phy • General Information	sical and chemical properties	
· Appearance:		
Form:	Crystalline powder	
Colour:	According to product specification	
· Odour:	Characteristic	
· pH-value at 20 °C:	7-8	
 Change in condition Melting point/Melting rang Boiling point/Boiling range 		
· Flash point:	Not applicable.	
· Ignition temperature:	370 °C	
-8		
· Self-igniting:	Product is not self igniting.	
	Product is not self igniting. Product does not present an explosion hazard.	
· Self-igniting:		
 Self-igniting: Danger of explosion: 	Product does not present an explosion hazard. 9.6 g/cm ³	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions : No dangerous reactions known.
- 10.4 Conditions to avoid : No further relevant information available.
- \cdot 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- On the skin: No irritant effect.

(Contd. on page 6) GB



Page 6/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.10.2014

Version number 2

Revision: 03.11.2007

Trade name: SABLE N°2 S2-4

(Contd. of page 5)

- On the eyes: No irritant effect.
- Sensitisation: No sensitising effects known.

 \cdot Additional toxicological information:

The product shows the following hasards according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Harmful

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Carc. 2, Repr. 1A

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability : No further relevant information available.
- 12.3 Bioaccumulative potential : No further relevant information available.
- 12.4 Mobility in soil : No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects : No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation :



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

· 14.1 UN-Number · ADR, IMDG, IATA	UN2291
· 14.2 UN proper shipping name	
$\cdot ADR$	2291 LEAD COMPOUND, SOLUBLE, N.O.S
	(Métasilicate de plomb)
· IMDG, IATA	LEAD COMPOUND, SOLUBLE, N.O.S.



Page 7/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.10.2014	Version number 2	Revision: 03.11.200
Trade name: SABLE N°2 S2-4		
		(Contd. of page (
· 14.3 Transport hazard class(es)		
·ADR		
· Class · Label	6.1 (T5) Toxic substances. 6.1	
· IMDG, IATA		
· Class	6.1 Toxic substances.	
· Label	6.1	
· 14.4 Packing group · ADR, IMDG, IATA	III	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user · Danger code (Kemler): · EMS Number:	Warning: Toxic substances. 60 F-A,S-A	
· Segregation groups	Heavy metals and the organometallic compounds)	ir salts (including thei, , lead and its compounds
• 14.7 Transport in bulk according to MARPOL73/78 and the IBC Code	Annex II of Not applicable.	
· Transport/Additional information:		
·ADR		
· Limited quantities (LQ) · Excepted quantities (EQ)	5 kg Code: E1 Maximum net quantity per in Maximum net quantity per o	
• Transport category • Tunnel restriction code	2 E	анстрискидинд. 1000 д
·IMDG		
\cdot Limited quantities (LQ)	5 kg	
\cdot Excepted quantities (EQ)	Code: E1 Maximum net quantity per in Maximum net quantity per o	
· UN "Model Regulation":	UN2291, LEAD COMP (Métasilicate de plomb), 6.1	OUND, SOLUBLE, N.O.S

(Contd. on page 8)



Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.10.2014

Version number 2

Revision: 03.11.2007

Trade name: SABLE N•2 S2-4

(Contd. of page 7)

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

H332 Harmful if inhaled.

H360Df May damage the unborn child. Suspected of damaging fertility.

- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- *H410* Very toxic to aquatic life with long lasting effects.

R20/22 Harmful by inhalation and if swallowed.

- *R33* Danger of cumulative effects.
- R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- *R61 May cause harm to the unborn child.*
- *R62 Possible risk of impaired fertility.*

• Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- Acute Tox. 4: Acute toxicity, Hazard Category 4
- Carc. 2: Carcinogenicity, Hazard Category 2
- Repr. 1A: Reproductive toxicity, Hazard Category 1A
- Repr. 1A: Reproductive toxicity, Hazard Category 1A
- STOT RE 2: Specific target organ toxicity Repeated exposure, Hazard Category 2
- Aquatic Acute 1: Hazardous to the aquatic environment AcuteHazard, Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1