

(Contd. on page 2)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.10.2014	Version number 2	Revision: 03.11.2007
SECTION 1: Iden	tification of the substance/mixture and o	f the company/undertaking
· 1.1 Product identifier		
· Trade name: <u>NOIR 0</u> <u>NO-15</u>	<u>RDINAIRE</u>	
No further relevant inf	l uses of the substance or mixture and uses advis	ed against
 Manufacturer/Supplie SARL d'exploitation de 24 rue de la Bourde 37 Tél : 02.47.37.99.80 Fax : 02.47.39.67.34 http://www.debitus.con e-mail : vitrail@debitu 1.4 Emergency telepho ORFILA (France) - Te 	es ateliers Debitus 7000 Tours n us.com	
SECTION 2: Haze	ards identification	
	× ·	
	he substance or mixture ng to Regulation (EC) No 1272/2008 :	
Carc. 2 H351 St	spected of causing cancer.	
	ay damage fertility or the unborn child.	
•	ay cause damage to organs through prolonged or	repeated exposure.
GHS07		
Acute Tox. 4 H302 H Acute Tox. 4 H332 H		
• Classification accordi	ng to Directive 67/548/EEC or Directive 1999/45/	/EC :
R61: N	<i>Iay cause harm to the unborn child.</i>	
Xn; Harmful		
е	Possible risk of impaired fertility. Harmful by in vidence of a carcinogenic effect. Danger of seri xposure.	
R33: L	Danger of cumulative effects.	(Contd. on page 2)



Page 2/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.10.2014

Version number 2

Revision: 03.11.2007

Trade name: NOIR ORDINAIRE NO-15

Information	(Contd. of page concerning particular hazards for human and environment:
The produc	t has to be labelled in the latest valid version according to the calculation procedure of a
Classificatio	lassification guideline for preparations of the EU".
	cation is according to the latest editions of the EU-lists, and extended by company and literati
data.	when is according to the tatest carrons of the Do tists, and extended by company and incruit
2.2 Label el	
	ccording to Regulation (EC) No 1272/2008 t is classified and labelled according to the CLP regulation.
Hazard pict	
	vgruns
\wedge	\wedge
$\langle \cdot \rangle$	
\sim	
GHS07	GHS08
Signal word	Danger
Hazard_dot	ermining components of labelling:
Métasilicate	
Hazard stat	•
	2 Harmful if swallowed or if inhaled.
H351	Suspected of causing cancer.
H360	May damage fertility or the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
	ry statements
P102	Keep out of reach of children.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P264	Wash hands thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P301+P310	IF SWALLOWED: Immediately call a doctor.
P304+P340	
	+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P314	Get medical advice/attention if you feel unwell.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/internation
	regulations.
Additional i	
	ontains lead.
	p professional users.
2.3 Other h	
	BT and vPvB assessment
PBT: Not ap vPvB: Not a	
VEVD: NOU	ppicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• Description: Mixture: consisting of the following components.

(Contd. on page 3)

GB



Page 3/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.10.2014

Version number 2

Revision: 03.11.2007

Trade name: NOIR ORDINAIRE NO-15

	(Cont	d. of page 2)
· Dangerous components:		
CAS: 1317-36-8 EINECS: 215-267-0 Index number: 082-001-00-6 RTECS: OG 1750000	<i>lead monoxide</i> W T Repr. Cat. 1, 2 R61; X N R62-20/22; W N R50/53 R33 ③ Repr. 1A, H360Df; STOT RE 2, H373; ④ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ① Acute Tox. 4, H302; Acute Tox. 4, H332	10-25%
CAS: 1344-28-1 EINECS: 215-691-6 RTECS: BD 1200000	aluminium oxide	10-25%
• Additional information: For	the wording of the listed risk phrases, refer to section 16.	

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After excessive inhalation: Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient in a stable laying down side position for transportation.

- After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Call for a doctor immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed :

No further relevant information available.

 \cdot 4.3 Indication of any immediate medical attention and special treatment needed :

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Suitable extinguishing agents:

- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture : Formation of toxic gases is possible during heating or in case of fire. do not inhale steam of combustion
- · 5.3 Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures : Not required.

 6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

• **6.3** *Methods and material for containment and cleaning up:* Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

(Contd. on page 4)

GB



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.10.2014

Version number 2

Revision: 03.11.2007

Trade name: NOIR ORDINAIRE NO-15

(Contd. of page 3)

• **6.4 Reference to other sections :** See Section 7 for information on safe handling. See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling : Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of dust.

• Information about fire - and explosion protection: Keep respiratory protective device available.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Keep container tightly sealed.

• 7.3 Specific end use(s) : No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see section 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

60676-86-0 Silica, fused

WEL (Great Britain) Long-term value: 0.08 mg/m³

respirable dust

• Additional information:

As a basis for the production of this document, the most current valid lists were used.

- · 8.2 Exposure controls
- · Personal protective equipment:

• General protective and hygienic measures: Keep away from food, beverages and petfood. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Store protective clothing separately.

· Respiratory protection:



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

(Contd. on page 5)



Page 5/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.10.2014

Version number 2

Revision: 03.11.2007

(Contd. of page 4)

Trade name: NOIR ORDINAIRE NO-15

-13

· Gloves material :

The selection of suitable gloves does not only depend on the material, but also on further marks of quality which may vary from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked before use.

· Eye protection:



Tightly sealed goggles

SECTION 9: Physical and chemical properties

-

SECTION 10: Stability and reactivity

· 10.1 Reactivity

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions : No dangerous reactions known.
- \cdot 10.4 Conditions to avoid : No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)

GB



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.10.2014

Version number 2

Revision: 03.11.2007

Trade name: NOIR ORDINAIRE

NO-15

(Contd. of page 5)

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- On the skin: No irritant effect.
- On the eyes: No irritant effect.
- Sensitisation: No sensitising effects known.
- $\cdot \textit{Additional toxicological information:}$

The product shows the following hasards according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Harmful

• CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Carc. 2, Repr. 1A

Carc. 2, Kepr. 1A

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability : No further relevant information available.
- 12.3 Bioaccumulative potential : No further relevant information available.
- · 12.4 Mobility in soil : No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects : No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation :



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- *Recommendation:* Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN-Number

· ADR, IMDG, IATA

UN3288

(Contd. on page 7)

GB



Page 7/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.10.2014	Version number 2	Revision: 03.11.200
Frade name: NOIR ORDINAIRE NO-15		
		(Contd. of page 6
· 14.2 UN proper shipping name · ADR	3288 TOXIC SOLID, INORGANIC, N.O.S. (Métasilicate de plomb)	
· IMDG, IATA	TOXIC SOLID, INORG plomb)	GANIC, N.O.S. (Métasilicate de
· 14.3 Transport hazard class(es)		
·ADR		
5 S		
· Class · Label	6.1 (T5) Toxic substances 6.1	х.
· IMDG, IATA		
6		
· Class · Label	6.1 Toxic substances. 6.1	
· 14.4 Packing group · ADR, IMDG, IATA	111	
 14.5 Environmental hazards: Marine pollutant: 	No	
 14.6 Special precautions for user Danger code (Kemler): EMS Number: 	Warning: Toxic substance 60 F-A,S-A	es.
• 14.7 Transport in bulk according to An MARPOL73/78 and the IBC Code	n ex II of Not applicable.	
· Transport/Additional information:		
· ADR · Limited quantities (LQ) · Excepted quantities (EQ)	5 kg Code: E1 Maximum net quantity pe Maximum net quantity pe	r inner packaging: 30 g r outer packaging: 1000 g
• Transport category • Tunnel restriction code	2 E	i omet puckuştiliş. 1000 g
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5 kg Code: E1 Maximum net quantity pe Maximum net quantity pe	r inner packaging: 30 g r outer packaging: 1000 g
		(Contd. on page 8



Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.10.2014

Version number 2

Revision: 03.11.2007

(Contd. of page 7)

Trade name: NOIR ORDINAIRE

NO-15

· UN "Model Regulation":

UN3288, TOXIC SOLID, INORGANIC, N.O.S. (Métasilicate de plomb), 6.1, III

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

H332 Harmful if inhaled.

H360Df May damage the unborn child. Suspected of damaging fertility.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

R20/22 Harmful by inhalation and if swallowed.

R33 Danger of cumulative effects.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

- *R61 May cause harm to the unborn child.*
- *R62 Possible risk of impaired fertility.*
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

- IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- Acute Tox. 4: Acute toxicity, Hazard Category 4
- Carc. 2: Carcinogenicity, Hazard Category 2
- Repr. 1A: Reproductive toxicity, Hazard Category 1A
- Repr. 1A: Reproductive toxicity, Hazard Category 1A
- STOT RE 2: Specific target organ toxicity Repeated exposure, Hazard Category 2
- Aquatic Acute 1: Hazardous to the aquatic environment AcuteHazard, Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1