

Peintures pour verre

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.10.2014 Version number 2 Revision: 03.11.2007

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: BRUN TON CLAIR

BT-22

· Article number / formula: BT-22

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the preparation :

Preparation

for glass application

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

SARL d'exploitation des ateliers Debitus

24 rue de la Bourde 37000 Tours

Tél: 02.47.37.99.80

Fax: 02.47.39.67.34

http://www.debitus.com

e-mail: vitrail@debitus.com

· 1.4 Emergency telephone number:

ORFILA (France) - Tel: +33 (0)1 45 42 59 59 (24h)

Ireland - Tel: 00 353 1 8092568 - 00 353 1 8379964 (24h/24)

UE Tel : 112

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008:



GHS06

Acute Tox. 3 H301 Toxic if swallowed.



GHS08

Carc. 2 H351 Suspected of causing cancer.

Repr. 1A H360 May damage fertility or the unborn child.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



GHS07

Acute Tox. 4 H332 Harmful if inhaled.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC:



T; Toxic

R61: May cause harm to the unborn child.

(Contd. on page 2)





Page 2/8 Peintures pour verre

Safety data sheet according to 1907/2006/EC, Article 31

Version number 2 Revision: 03.11.2007 Printing date 20.10.2014

Trade name: BRUN TON CLAIR

BT-22

(Contd. of page 1)

Xn; Harmful

R62-20/22-40-48: Possible risk of impaired fertility. Harmful by inhalation and if swallowed. Limited

evidence of a carcinogenic effect. Danger of serious damage to health by prolonged

exposure.

R33: Danger of cumulative effects.

· Information concerning particular hazards for human and environment:

The product has to be labelled in the latest valid version according to the calculation procedure of the "General Classification guideline for preparations of the EU".

Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS06

GHS08

- · Signal word Danger
- · Hazard-determining components of labelling:

Métasilicate de plomb

· Hazard statements

H301 Toxic if swallowed.

H332 Harmful if inhaled.

H351 Suspected of causing cancer.

H360 May damage fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

P102 Keep out of reach of children.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P264 Wash hands thoroughly after handling. P271 Use only outdoors or in a well-ventilated area.

P301+P310 IF SWALLOWED: Immediately call a doctor.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P314 Get medical advice/attention if you feel unwell.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Additional information:

Restricted to professional users.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.

(Contd. on page 3)



Page 3/8 Peintures pour verre

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.10.2014 Version number 2 Revision: 03.11.2007

Trade name: BRUN TON CLAIR

BT-22

(Contd. of page 2)

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture: consisting of the following components.
- · Dangerous components:

10099-76-0 Métasilicate de plomb

№ T R61; **▼** Xn R62-20/22-40-48 R33 50-100%

Carc. Cat. 1

♦ Carc. 2, H351; Repr. 1A, H360; STOT RE 2, H373; **♦** Acute Tox. 4, H302; Acute Tox. 4, H332

· Additional information: For the wording of the listed risk phrases, refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After excessive inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient in a stable laying down side position for transportation.

- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Call for a doctor immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed:

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· 5.2 Special hazards arising from the substance or mixture :

Formation of toxic gases is possible during heating or in case of fire. do not inhale steam of combustion

- · 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures: Not required.
- · 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

(Contd. on page 4)



Peintures pour verre Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.10.2014 Version number 2 Revision: 03.11.2007

Trade name: BRUN TON CLAIR

BT-22

(Contd. of page 3)

Do not allow to enter sewers/surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling:

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of dust.

- · Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s): No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see section 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any signifiant quantities of materials with critical values that have to be monitored at the workplace.

· Additional information:

As a basis for the production of this document, the most current valid lists were used.

- · 8.2 Exposure controls
- · Personal protective equipment:
- $\cdot \textit{General protective and hygienic measures:} \\$

Keep away from food, beverages and petfood.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

 $\cdot \textit{Respiratory protection:}$



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 5)



Peintures pour verre Page 5/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.10.2014 Version number 2 Revision: 03.11.2007

Trade name: BRUN TON CLAIR

BT-22

(Contd. of page 4)

· Protection of hands:



Protective gloves

· Gloves material:

The selection of suitable gloves does not only depend on the material, but also on further marks of quality which may vary from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked before use.

· Eye protection:



Tightly sealed goggles

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information

· Appearance:

Form: Crystalline powder

Colour: According to product specification

· Odour: Characteristic

• **pH-value at 20 °C:** 7-8

· Change in condition

Melting point/Melting range: 632 °C Boiling point/Boiling range: 1470 °C

· Flash point: Not applicable.

• Ignition temperature: 370 °C

· **Self-igniting:** Product is not self igniting.

· Danger of explosion: Product does not present an explosion hazard.

• **Density at 20 °C:** 9.6 g/cm³

· Solubility in / Miscibility with

water: Insoluble.

• 9.2 Other information: No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions: No dangerous reactions known.
- · 10.4 Conditions to avoid: No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 6)





Peintures pour verre

Safety data sheet

Printing date 20.10.2014 Version number 2 Revision: 03.11.2007

Trade name: BRUN TON CLAIR

BT-22

(Contd. of page 5)

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · On the skin: No irritant effect.
- · On the eyes: No irritant effect.
- · Sensitisation: No sensitising effects known.
- · Additional toxicological information:

The product shows the following hasards according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Harmful

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Carc. 2, Repr. 1A

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability: No further relevant information available.
- · 12.3 Bioaccumulative potential: No further relevant information available.
- · 12.4 Mobility in soil: No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · **vPvB**: Not applicable.
- · 12.6 Other adverse effects: No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation:



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

GR





Peintures pour verre Peintures pour verre

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.10.2014 Version number 2 Revision: 03.11.2007

Trade name: BRUN TON CLAIR

BT-22

(Contd. of page 6)

14.1 UN-Number ADR, IMDG, IATA	UN3288
14.2 UN proper shipping name ADR IMDG, IATA	3288 TOXIC SOLID, INORGANIC, N.O.S. (Métasilic de plomb) TOXIC SOLID, INORGANIC, N.O.S. (Métasilicate
•	plomb)
· 14.3 Transport hazard class(es)	
· ADR	
(A)	
· Class · Label	6.1 (T5) Toxic substances. 6.1
6	
Class Label	6.1 Toxic substances. 6.1
14.4 Packing group ADR, IMDG, IATA	III
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Warning: Toxic substances.
Danger code (Kemler): EMS Number:	60 F-A,S-A
14.7 Transport in bulk according to Anno MARPOL73/78 and the IBC Code	
Transport/Additional information:	
ADR Limited quantities (LQ) Excepted quantities (EQ)	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g
Transport category Tunnel restriction code	Maximum net quantity per outer packaging: 1000 g 2 E
IMDG Limited quantities (LQ)	5 kg





Peintures pour verre

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.10.2014 Version number 2 Revision: 03.11.2007

Trade name: BRUN TON CLAIR

BT-22

	(Contd. of page 7)
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
· UN ''Model Regulation'':	UN3288, TOXIC SOLID, INORGANIC, N.O.S. (Métasilicate de plomb), 6.1, III

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H302 Harmful if swallowed.
- H332 Harmful if inhaled.
- H351 Suspected of causing cancer.
- H360 May damage fertility or the unborn child.
- H373 May cause damage to organs through prolonged or repeated exposure.

R20/22 Harmful by inhalation and if swallowed.

- R33 Danger of cumulative effects.
- R40 Limited evidence of a carcinogenic effect.
- R48 Danger of serious damage to health by prolonged exposure.
- R61 May cause harm to the unborn child.
- R62 Possible risk of impaired fertility.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

Acute Tox. 3: Acute toxicity, Hazard Category 3

Acute Tox. 4: Acute toxicity, Hazard Category 4

Carc. 2: Carcinogenicity, Hazard Category 2

Repr. 1A: Reproductive toxicity, Hazard Category 1A

STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2